



GRABO

PARQUET
FLOORING

PARQUET COLLECTION

GRABO

PARQUET
FLOORING



GRABO
PARQUET
COLLECTION

Contents

| | |
|-----------------------|---|
| Structure, advantages | 2 |
|-----------------------|---|

| | |
|---------------|---|
| Joint systems | 4 |
|---------------|---|

| | |
|-------------|---|
| Board sizes | 5 |
|-------------|---|

| | |
|-----------|---|
| Click&Go! | 6 |
|-----------|---|

| | |
|------------|---|
| Grabo Jive | 8 |
|------------|---|

| | |
|--------------|----|
| Grabo Viking | 24 |
|--------------|----|


| | |
|--------------------------------|----|
| Grabo Eminence ²²¹⁵ | 34 |
|--------------------------------|----|

| | |
|--------------------------------|----|
| Grabo Eminence ¹⁸⁰⁰ | 46 |
|--------------------------------|----|


| | |
|-------------|----|
| Grabo Giant | 76 |
|-------------|----|

| | |
|--------|----|
| Joll-e | 80 |
|--------|----|

| | |
|------------|----|
| Properties | 82 |
|------------|----|







Structure



Graboplast Ltd. reserves the right to make changes in design, construction, or specifications of the products it manufactures at any time without incurring any obligation in incorporating such changes in products previously sold.

Advantages

| | |
|---|---|
|  | Unique design owing to our manual TLSS selection system. |
|  | Natural oiled surface for enhancing the beauty of real wood. |
| Rangifer® | Durable, water-resistant surface - the solid wood surface is treated with Rangifer® UV varnish in seven layers. |
|   | Quick and easy installation with Välinge licence-based LOC (2G) and Click&Go! (5G) locking systems. |
| SOLVENT FREE | Environmental friendly, formaldehyde - free product - ISO 14001. |
| 30 YEAR GUARANTY | Prime product - Grabo parquets are produced with German technology providing 30 years of warranty. |

Real wood flooring in your home

In the parquet plant of Graboplast, which has decades of experience, the most traditional building material is used to the highest standards with state - of - the - art technology in order to create a wood flooring of absolute perfection.

Whether it is about traditional or mainstream, up-to-date design, quality raw materials and the structure of Grabo parquets guarantee long term satisfaction.

Harmonising with nature

While manufacturing Grabo parquets and thriving to achieve perfection, we always bear in mind that the raw material we use is the gift of nature. It is essential for us that wood used to manufacture our quality products should be from an authorised source which guarantees added value in harmony with nature and sustainable development.

Assurance and continuous supervision of this is our common interest. This dedication made us decide to manufacture Grabo parquets to meet the principles of the internationally recognised PEFC Certificate while keeping sustainable forest management in mind.

World standard in the heart of Europe

Manufacturing our CE marked products is done within the framework of rigorous quality and environmental management systems in order to continuously maintain guaranteed quality. At Graboplast, one of the largest parquet manufacturers of Europe, the reliability of these systems is certified by ISO9001 and ISO14001 standards.

Certified quality

Hundreds of thousands of satisfied customers provide a convincing proof of the quality of our products and inspections carried out by independent institutions certify to our international markets that Grabo parquets do stand the test worldwide.

Our products are certified to meet the rigorous criteria of the Finnish M1 (Emission Classification of Building Materials) quality label.

Among the leaders

Graboplast Ltd has a long history of being a permanent member of FEP (European Federation of the Parquet Industry) one of the most prominent professional organisations of the European parquet industry. Up-to-date information resulting from this membership also helps our customers to realise their dreams of even the highest standards using Grabo parquets.



Joint Systems




Click&Go!
locking System



LOC joint system



T&G joint system



Board sizes




a cca. 3.6 mm
b 13.5 mm



a cca. 3.6 mm
b 13.5 mm



a cca. 2.8 mm
b 13.5 mm




a cca. 3.6/5.2 mm
b 22 mm



Grabo Parquet has never been so easy to install! **Click&Go! Locking System*** by Graboplast

- Strong and robust joint system - ensured by an optimised profile and a glass fibre reinforced tongue on the short side of the board.
- Significantly improved efficiency leads to time and cost saving - achieved when installing flooring equipped with Click&Go! Locking system in comparison with other joint systems.
- The special design of the locking profile combined with the high performance glass fibre reinforced tongue offers superior function during climate changes and forces applied to the floor.

When a board is folded down, a flexible tongue is pushed into a groove. When it reaches its final position, the locking emits a "click" sound and locks the product both vertically and horizontally.






Tradition and elegance


Our most popular product range, which tastefully decorates hundreds of thousands of homes worldwide with its assortment of woods and colours.




OAK | rustic | ice white matt lacquered



OAK | natur
ice white matt lacquered



OAK | rustic
ice white matt lacquered



ASH | natur
ice white matt lacquered




ASH | classic
ice white matt lacquered






ASH | classic
| nordic white matt lacquered




ASH | classic | nordic white matt lacquered



OAK | rustic
| nordic white matt lacquered







OAK | natur
| white oiled



OAK | natur
| nordic white matt lacquered



OAK | natur | nordic white matt lacquered





ASH | natur | lacquered


ASH | natur
| lacquered



BEECH | natur
| lacquered



BEECH | trend
| lacquered



BEECH | rustic
| lacquered
| matt lacquered



ASH | classic
| lacquered
| matt lacquered






OAK | trend | brandy lacquered


OAK | trend
| brandy lacquered



OAK | trend | honey lacquered



OAK | trend
| honey lacquered




ASH | classic
| brandy lacquered






OAK | rustic | cocoa matt lacquered



OAK | rustic
| antique brown lacquered



OAK | rustic
| antique lacquered



OAK | rustic
| cocoa matt lacquered



OAK | rustic
| brown matt lacquered




OAK | rustic | antique lacquered




OAK | rustic | stardust matt lacquered



OAK | rustic
| stardust matt lacquered




OAK | rustic
| myst grey matt lacquered



OAK | natur | myst grey matt lacquered




Style and Design




Special, three striped parquet with a brushed surface whose exciting yet harmonic appearance provides unique flooring.



OAK | brushed
light matt lacquered




OAK | brushed
matt lacquered




OAK | brushed | matt lacquered



ASH | brushed | light matt lacquered



ASH | brushed
light matt lacquered






ASH | brushed
matt lacquered



ASH | brushed
dark matt lacquered










OAK | softly brushed | castor matt lacquered



OAK | softly brushed
| castor matt lacquered



OAK | softly brushed
| "dio" matt lacquered



OAK | softly brushed
| brandy dark matt lacquered




OAK | softly brushed
| carob matt lacquered



OAK | softly brushed
| berry bear matt lacquered





The art of parquet

Engineered parquets with single stripe top layer, which receive the recognition of even the most demanding users without having to make quality or aesthetic compromises.



OAK | cottage | ice white matt lacquered



OAK | cottage
ice white matt lacquered

1
STRIP

ICE WHITE
LACQUERED

MATT
SURFACE



OAK | vital
milky matt lacquered
softly brushed

1
STRIP

MILKY
LACQUERED


MATT
SURFACE

MATT
SOFTLY
BRUSHED

2 - SIDE
BEVELLED




OAK | vital | matt lacquered




OAK | noble
matt lacquered
softly brushed



OAK | vital
lacquered



OAK | vital
matt lacquered
oiled
softly brushed



OAK | vital
"only wood" lacquered
softly brushed





OAK | cottage | "only wood" lacquered | softly brushed | 2-side bevelled



OAK | cottage
oiled
softly brushed



OAK | cottage
oiled





OAK | cottage
matt lacquered
softly brushed



OAK | cottage
"only wood" lacquered
softly brushed







OAK | cottage | myst grey matt lacquered | softly brushed | 2-side bevelled



OAK | noble
stardust matt lacquered
softly brushed



OAK | vital
stardust matt lacquered
softly brushed



OAK | noble
myst grey matt lacquered
softly brushed



OAK | vital
myst grey matt lacquered
softly brushed



OAK | cottage
myst grey matt lacquered
softly brushed




OAK | vital
estrella matt lacquered
softly brushed








OAK | noble | ice white matt lacquered




OAK | noble
ice white matt lacquered




ASH | country
nordic white matt lacquered






OAK | cottage | paloma matt lacquered | softly brushed | 2-side bevelled




OAK | vital
milky matt lacquered
softly brushed








OAK | cottage
paloma matt lacquered
softly brushed



OAK | cottage
paloma matt lacquered
softly brushed



OAK | vital | milky matt lacquered | softly brushed







OAK | noble | lacquered



OAK | noble
lacquered



OAK | noble
oiled
softly brushed



OAK | noble
oiled
softly brushed




OAK | noble | oiled




OAK | vital | lacquered | softly brushed




OAK | vital
lacquered



OAK | vital
matt lacquered






OAK | vital
matt lacquered
oiled
softly brushed



OAK | vital
matt lacquered
oiled
softly brushed







OAK | cottage | oiled | softly brushed | 2-side bevelled






OAK | cottage
oiled
softly brushed



OAK | cottage
oiled
softly brushed




OAK | cottage | oiled | softly brushed






OAK | cottage | "dio" matt lacquered | softly brushed | 2-side bevelled



OAK | vital
"dio" matt lacquered
softly brushed




OAK | cottage
"dio" matt lacquered
softly brushed



OAK | cottage
"dio" matt lacquered
softly brushed






OAK | cottage | berry bear matt lac quered | softly brushed lacquered | 2-side bevelled



OAK | cottage
berry bear matt lacquered
softly brushed



OAK | cottage | carob matt lacquered | softly brushed lacquered | 2-side bevelled



OAK | cottage
carob matt lacquered
softly brushed



OAK | cottage
castor matt lacquered
softly brushed







OAK | cottage | brandy dark matt lacquered | softly brushed | 2-side bevelled



OAK | vital
| brandy dark matt lacquered
| softly brushed




OAK | vital
| brandy dark matt lacquered
| softly brushed





OAK | cottage
| brandy dark matt lacquered
| softly brushed










Natural wood will always remain an ever-relevant, renewable and repairable material. For top quality parquet floorings the secret of long life is the combination of extreme strength granted by their basic components and the impeccable structural design.

Due to its versatile applicability, GRABO GIANT can be installed on virtually any site, irrespective of the method of its construction, and is likely to become the highlight of any residential or sports interior. The 22 mm thickness and a reinforced joint system account for the superb mechanical properties of GRABO GIANT.



- A** Hardwood top layer
- B** Solid pine middle layer
- C** Bottom: 3 layer plywood


Properties:

Hardwood top layer: Oak/Ash
Overall thickness: 22 mm
Thickness of the top layer cca.: 3.6/5.2 mm
Board size: 2250 x 190 mm
Joint system : TG⁺


The Power of Nature

Using a construction technology of any kind, this extremely powerful and widely applicable engineered parquet product range with an overall thickness of 22 mm, which is specially developed to withstand extreme loads, might well be the greatest ornament of the interior.






ASH | classic
white matt lacquered



OAK | rustic
white matt lacquered



ASH | classic
matt lacquered



OAK | rustic
matt lacquered





OAK | rustic
"natural look" lacquered












































Properties:

Hardwood top layer: Oak
Overall thickness: 13.5 mm
Thickness of the top layer cca.: 3.6 mm
Board size: 2250 x 190 mm
Joint system : LOC | TG



Bringing the Future Closer

Residential parquets providing a lasting solution with a natural appearance. Due to their economical properties, they make the benefits of having real parquets available for more and more people.

| | | | | | |
|--|-------------------------|--|--------------------------|--|-----------------------------|
|  | 1 - strip |  | White oiled |  | Antique brown lacquered |
|  | 3 - strip |  | Oiled |  | Brandy lacquered |
|  | T&G joint system |  | Brown oiled |  | Brandy dark lacquered |
|  | Click&Go locking system |  | Lacquered |  | Dusk matt lacquered |
|  | LOC joint system |  | Matt lacquered |  | "Natural look" lacquered |
|  | 2-side bevelled |  | "Only wood" lacquered |  | Stardust matt lacquered |
|  | 4-side bevelled |  | Estrella matt lacquered |  | Carob matt lacquered |
|  | Softly brushed |  | Ice white matt lacquered |  | Nordic white matt lacquered |
|  | Brushed |  | White matt lacquered |  | Berry bear matt lacquered |
|  | Light brushed |  | Sandy matt lacquered |  | Castor matt lacquered |
|  | Dark brushed |  | Antique lacquered |  | Cocoa matt lacquered |
|  | Matt surface |  | "Dio" matt lacquered |  | Paloma matt lacquered |
| | |  | Brown matt lacquered |  | Choco lacquered |
| | |  | Milky matt lacquered |  | Honey lacquered |
| | | | |  | Silky lacquered |



GRABO

PARQUET FLOORING



Graboplast Floor Covering Manufacturers Ltd.

H-9023 Győr, Fehérvári út 16/b.

E-mail: info@graboplast.hu

www.graboplast.hu

www.facebook.com/graboplast

Distributed by: